

DESCRIPTION

These wrap fixtures are assembled on a mid-sized housing. NWK models featuring solid wood ends are also available. Choose a 24" two lamp fixture or a 48" two lamp fixture. This series uses T12 lamps.

CONSTRUCTION

Housing, cover and ends are die formed of 22 gauge cold rolled steel. NWK ends are cut from solid wood with medium oak finish and are screwed to housing. Standard mounting holes and standard wiring knockouts are included, with an extra 2" diameter center knockout on the back for wiring entry. Can be stem, chain, or direct mounted. NW models can be hung individually or in continuous runs.

FINISH

Housing interior and exterior are finished in lighting grade white baked gloss enamel paint. NWK ends are stained in a medium oak finish.

DIFFUSER




Lens is a one-piece extruded lens of clear 100% virgin acrylic, .090" thick, with a diamond prismatic pattern on the face and a linear ribbed prism pattern on the sides. The lens lifts and shifts onto the housing and hangs from a lip running the entire length of both sides of the housing.

ELECTRICAL



All ES units are wired with U.L. listed high power factor, rapid start, Class P, energy saving (ES), full light output (E) ballasts, for 120 volt, 60 hertz A.C. operation. All non-ES units have trigger start normal power factor ballast. Lampholders are rotating lock, medium bi-pin type. All fixtures are U.L. listed.

OPTIONS

Alternate smooth diffuser available (contact factory). For ballast upgrades and options, refer to back of guide. Other voltages, listings, and ratings available on request (contact factory).



NW SERIES



NWK SERIES

ORDERING INFORMATION

Model No.	Fluorescent Lamps	DIMENSIONS			Mtg. Ill.
		L	W	D	
All White					
NW220A	(2) T12 24"	24"	9 ³ / ₁₆ "	3 ³ / ₁₆ "	14
NW240AES	(2) T12 48"	48"	9 ³ / ₁₆ "	3 ³ / ₁₆ "	31
Solid Oak Ends					
NWK220A	(2) T12 24"	25 ¹ / ₄ "	10 ¹ / ₄ "	3 ³ / ₈ "	14
NWK240AES	(2) T12 48"	49 ¹ / ₄ "	10 ¹ / ₄ "	3 ³ / ₈ "	31